






NOTES:



1. MATERIAL: .016 THICK BRASS
#4 TEMPER (FULL HARD)
PER ETCO METAL CODE 00184.
2. MATERIAL: .016 THICK PRE-TINNED BRASS
#4 TEMPER (FULL HARD)
PER ETCO METAL CODE 01248.
3. PARTS MAY BE COATED WITH A LIGHT FILM OF LUBRICATION USED IN THE MANUFACTURING PROCESS.
4. INSERTION/WITHDRAWAL FORCES ARE INDICATED ON THE QUALITY INSPECTION PLAN.
5. ALL CORNERS SHOWN MAY HAVE A .010 MAX RAD.
6. ACCEPTS MALE TAB: .032 X .250
7. WIRE RANGE: 14-18 AWG.
8. INSULATION RANGE: ϕ .100- ϕ .180.

P/C	DESCRIPTION	MAT'L		
07365	D260N-HN-THB	NOTE 2	X	X


Rev.	Description of Change/ SCN#	Date
-	Removed from D260N dwg SCJ	12/14/15
1	ECR# 4131 and 4129 SCJ	3/03/16
1	ECR# 5430 SCJ	2/12/19




SECTION B-B
SCALE 6 : 1





SECTION C-C
SCALE 6 : 1



SECTION D-D
SCALE 6 : 1





DIRECTION EXITING TOOL,
EARS UP, TO THE BACK



DIRECTION TOWARD APPLICATOR
EARS UP, TO THE FRONT,
FOR PARTS NOT INSULATED

UNCONTROLLED COPY

 THIRD ANGLE PROJECTION TOLERANCES UNLESS OTHERWISE SPECIFIED INCHES: .XX - \pm .030 .XXX - \pm .015 ANGLES: \pm 5°	TOOL NO. 0660 0792	Title: .032 X .250 FEMALE DISCONNECT			
		DO NOT SCALE DWG.	Drawn By: S.Johnson	Date: 12/14/15	
 ETCO	ETCO Incorporated Engineered Products 25 Bellows Street Warwick, RI 02888 Phone: (401) 467-2400 Fax: (401) 467-9230 www.ETCO.com		Chk'd/App'd By:	Scale: 4X	Size B
	Dwg. No.: D260N-HN cust				